From:	Christopher Genuardi
To:	Roberts, Yvette
Subject:	RE: Lab Pack Profile Template
Date:	Friday, July 06, 2018 9:30:29 AM

Good Morning Yvette,

Can you please give me a call when you have time today?

Office: 719-668-8691
Cell: 719-367-2813

Thanks!
Chris

From: Roberts, Yvette [mailto:yvette.roberts@veolia.com]
Sent: Thursday, July 05, 2018 1:19 PM
To: Christopher Genuardi <cgenuardi@csu.org>
Cc: Zeller, Erin <erin.zeller@veolia.com>; Ann Burdett <aburdett@csu.org>
Subject: Re: Lab Pack Profile Template

[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]

The profile number for your elemental mercury is 952417.

Thank you.

Regards,

Yvette Roberts
Customer Service Administrator
Industrial Business
VEOLIA NORTH AMERICA
tel

+1 602 233 2955

/
fax

+1 602 415 3030 / Toll Free 800/368-9095
5736 West Jefferson Street / Phoenix, AZ 85043
Yvette. Roberts@Veolia.com
www.veolianorthamerica.com

Click Here for additional eManifest Information from Veolia

"Recycling..making our world a better place"

For prepaid recycling of fluorescent lamps, ballast, batteries and more,
visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**
Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

On 28 June 2018 at 07:31, Christopher Genuardi <cgenuardi@csu.org> wrote:

> Good Morning Erin,
>
> I have one additional question before I sign and submit the profile. Do you have the capability to remove waste code U151 from line no. 5? This is only elemental mercury contained in devices. I believe the U151 code is applied to a discarded elemental mercury product, off-specification product, or a container with mercury spill residue. I would like to know your thoughts.
>
> Have a great day!
>
> Thanks,
>
> **Chris Genuardi**
> Colorado Springs Utilities – Regulatory Services
> Environmental Specialist
>
> Office: (719) 668-8691
> Cell: (719) 367-2813
> Fax: (719) 668-8666
> Email: cgenuardi@csu.org
>
> ---
>
> **From:** Zeller, Erin [mailto:erin.zeller@veolia.com]
> **Sent:** Tuesday, June 26, 2018 2:38 PM
> **To:** Christopher Genuardi <cgenuardi@csu.org>
> **Cc:** Yvette Roberts <yvette.roberts@veolia.com>; Ann Burdett <aburdett@csu.org>
> **Subject:** Re: Lab Pack Profile Template
>
> **[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]**
> Hello again,
>
> I am also confirming that yes we can continue to pick up those backhauls to US Ecology. You manifest those directly to them and we transport. thanks!

Erin Zeller
Account Manager
Industrial Business
VEOLIA NORTH AMERICA

+1 602 233 2955 / tel +1 602 725 8037 / cell

+1 602 415 3030 / fax
5736 W. Jefferson St.
Phoenix AZ 85251
erin.zeller@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more, visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**

Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

On Mon, Jun 25, 2018 at 3:24 PM, Christopher Genuardi <cgenuardi@csu.org> wrote:

> Good Afternoon Erin,
>
> It was nice speaking with you today and thank you for providing the regulatory explanation for elemental mercury. I have attached a completed copy of the elemental mercury profile. Please take a look and let me know if all the required fields are complete and correct, especially No. 7 on page 2. If everything looks good, let me know and I will sign and resubmit.
>
> Thank you,
>
> Chris Genuardi
> Colorado Springs Utilities – Regulatory Services
> Environmental Specialist
>
> Office: (719) 668-8691
> Cell: (719) 367-2813

Fax: (719) 668-8666
Email: cgenuardi@csu.org

From: Zeller, Erin [mailto:erin.zeller@veolia.com]
Sent: Monday, June 18, 2018 10:07 PM
To: Christopher Genuardi <cgenuardi@csu.org>; Yvette Roberts <yvette.roberts@veolia.com>
Subject: Fwd: Lab Pack Profile Template

[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]

Hi Chris -

I am the Western Regional Account Manager that works with both Yvette and Shannon. I can answer any profile and pricing questions. You can use this profile form you have attached here for the pail containing the various sizes of elemental mercury. Please list those on page 2 in number 7. You can send that to Yvette along with the pick up request form that I have attached. The current pricing we have with Colorado Springs Utilities is good through Feb 2019 and is $30 per pound for the elemental mercury, plus transportation and the Energy & Security Surcharge. Please let me know what other questions you have. Thank you!

Erin Zeller
Account Manager
Industrial Business
VEOLIA NORTH AMERICA

+1 602 233 2955 / tel +1 602 725 8037 / cell

+1 602 415 3030 / fax
5736 W. Jefferson St.
Phoenix AZ 85251
erin.zeller@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more, visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**

Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

---------- Forwarded message ----------
From: **Roberts, Yvette** <yvette.roberts@veolia.com>
Date: Mon, Jun 18, 2018 at 2:23 PM
Subject: Fwd: Lab Pack Profile Template
To: Erin Zeller <erin.zeller@veolia.com>

Hi.

Chris had some questions on analysis for Elemental Mercury below.

I think the msds would help but wanted to ask you first.

Thank you.

Regards,

Yvette Roberts
Customer Service Administrator
Industrial Business
VEOLIA NORTH AMERICA
tel

+1 602 233 2955

/
fax

+1 602 415 3030 / Toll Free 800/368-9095
5736 West Jefferson Street / Phoenix, AZ 85043
Yvette. Roberts@Veolia.com
www.veolianorthamerica.com

Click Here for additional eManifest Information from Veolia

"Recycling..making our world a better place"

For prepaid recycling of fluorescent lamps, ballast, batteries and more,
visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**
Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

---------- Forwarded message ----------
From: **Rieser, Shannon** <shannon.rieser@veolia.com>
Date: 15 June 2018 at 13:50
Subject: Re: Lab Pack Profile Template
To: Christopher Genuardi <cgenuardi@csu.org>
Cc: "Roberts, Yvette" <yvette.roberts@veolia.com>

Hi Christopher,
You will actually be sending all your request to Yvette Roberts moving forward.
Here is the wip form to fill out for the approvals for elemental mercury

*****New hours are M-F 5am-2PM***

CSR Contact- Yvette.Roberts@veolia.com

Regards,

Shannon K Rieser

Waste Tracking Coordinator
Industrial Business
Click Here for additional eManifest Information from Veolia

VEOLIA NORTH AMERICA
tel
1-602-233-6882
fax
1-602-415-3030
toll free 1-
800 368 9095 x.76882
5736 W Jefferson Street / Phoenix, AZ 85043
shannon.rieser@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more,
visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**
* battery packaging guidelines are needed to provide safe transportation.

Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

As a kindly reminder please note:
An EPA ID is required for manifests and/or hazardous waste.

For any PCB material requires a PCB Continuation sheet that needs to identify an Out of Service date *and* Serial number or Unique ID number
(that you can create or provide if one is not on the container(s))

For all Mercury Labpacks and debris -please send the information of what is in the containers as profiles are expiring for these types of waste.

On Fri, Jun 15, 2018 at 1:45 PM, Christopher Genuardi <cgenuardi@csu.org> wrote:

> Good Afternoon Shannon,
>
> Hope your Friday is treating you well!
>
> A quick introduction, my name is Chris Genuardi and I am a new employee with Colorado Springs Utilities working in the Regulatory Services department with Ann Burdett.
>
> I wanted to reach out to you because one of our facilities is in need of disposing elemental mercury in the quantities and containers listed below. Does Veolia provide a lab pack waste profile template I can utilize to begin the process, or is there another option available? I would like to have the profile complete and sent to you for approval by the middle of next week. In addition, we would like to ship the waste within the next few weeks. Any assistance you can provide would be greatly appreciated and I look forward to hearing from you!

1 poly bottle has a glass vial with about 10 mls of Hg
1 poly bottle has a glass vial with about 20 mls of Hg
1 poly bottle has about 2289.1 gm of Hg (~ 5 lbs)
1 glass bottle has about 30 lbs of Hg

Thank you,

Chris Genuardi
Colorado Springs Utilities – Regulatory Services
Environmental Specialist

Office: (719) 668-8691
Cell: (719) 367-2813
Fax: (719) 668-8666
Email: cgenuardi@csu.org

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.